

4

3

2


1

B



B

A




A




22X  $\phi$  .531 THRU



DUT Mounting Holes  
 55X  $\phi$  .42  $\nabla$  1.38  
 1/2-13 UNC - 1B  $\nabla$  1.00  
 24.00



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Elite Electronic Engineering. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Elite Electronic Engineering IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	TEB 01/24/22
		TOLERANCES:		CHECKED	
		FRACTIONAL $\pm$ 1/16		ENG APPR.	
		TWO PLACE DECIMAL $\pm$ 0.01		MFG APPR.	
		THREE PLACE DECIMAL $\pm$ 0.005		Q.A.	
		INTERPRET GEOMETRIC TOLERANCING PER:		COMMENTS:	
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON	Mill			
APPLICATION		DO NOT SCALE DRAWING			
<b>Constant Acceleration</b>					
 Elite Electronic Engineering 1516 Centre Circle Downers Grove, IL 60515					
SIZE	DWG. NO.			REV	
<b>B</b>	ENVD31 Universal Fixture				
SCALE: 1:4		WEIGHT:		SHEET 1 OF 1	

4

3

2

1