

EMI CHAMBER DESCRIPTION

TEST SUITE 17

Test Room ID: R17

Description:	SEMI-ANECHOIC SHIELDED TEST ENCLOSURE
Primary Testing Uses:	FCC, CE Mark
Dimensions:	7.31m x 3.05m x 3.05m (24ft. x 10ft. x 10ft.) [see Figures – 3 & 4 below]
Construction:	Galvanized Steel Ferrite tile walls and ceiling RF Absorber parcel walls and ceiling
Ground Plane Dimensions:	2.74m x 0.85m (9ft. x 33.5in.) Removable Ground Plane
Distance from Cable Tunnel to Front of Ground Plane:	1.37m (54in.)
Room Filters:	See Below
Power Availability:	External AC 3Phase, 30A Filtered AC Power External 60A Filtered DC Line Note: Other power arrangements are available upon request.





Figure – 1: Room 17



Figure – 2: Room 17 with Antenna Page 2 of 10



TEST SUITE 17

EMI CHAMBER DESCRIPTION



Figure – 3: Room 17 Ground Plane



EMI CHAMBER DESCRIPTION




Figure - 4: Rooms 17 Dimension Drawing Page **4** of **10**



EMI CHAMBER DESCRIPTION




Figure - 5: Rooms 17 Dimension Drawing Page **5** of **10**



EMI CHAMBER DESCRIPTION



Figure – 6: Monitor room plate #1




Figure – 7: Monitor room plate #2



TEST SUITE 17

EMI CHAMBER DESCRIPTION



Figure – 8: Monitor room plate #3

EMI CHAMBER DESCRIPTION




Figure – 9: Monitor room plate dimensions (Plate #1)

EMI CHAMBER DESCRIPTION




Figure – 10: Monitor room plate dimensions (Plate #2)

EMI CHAMBER DESCRIPTION




Figure – 11: Monitor room plate dimensions (Plate #3)